

### 2024

227 South Town East Blvd. Mesquite, TX 75149 Ph: 800-204-5059

Fax: 800-206-9015



### GENERAL TERMS AND CONDITIONS OF SALE

### **INVOICE AND CREDIT TERMS**

- 1. All payments and invoices can be in US Dollars or CAN Dollars.
- 2. Returned check must be replaced with cash or certified funds plus a \$40 handling fee. A returned check could cause your account to be placed on Payment in Advance status.
- 3. Payment Options Continental United States and Canada
  - a. Payment in Advance: bank draft, cashier's check, or wire transfer (\$25 wire fee applies). Company check accepted on established accounts.
  - b. Open Account: NET 30, from the date of the invoice. Payment on open accounts can be made via company check, bank draft, cashier's check, or wire transfer (\$25 wire fee applies).
- 4. Payment Options Hawaii, Alaska, Mexico, and International
  - a. Payment in Advance: bank draft, cashier's check, or wire transfer (\$25 wire fee applies).

### SERVICE AND DELIVERY

- 1. Continental United States and Canada
  - a. Finished Goods From Our Inventory: LTL orders of \$5,000 or more will be shipped within 3 business days, freight prepaid.
  - b. Tolling of Your Coil: LTL orders of \$5,000 or more of tolling fees will be shipped within 15 business days, freight prepaid.
  - c. Pallet Program of one item per pallet from our finished goods inventory, LTL orders of \$5,000 or more will be shipped within 3 business days, freight pepaid.
  - d. Finished Goods and/or Tolling: Truckloads of 24 pallets or more will be shipped within 15 business days, freight prepaid. 15 day lead time on tolled items begins upon receipt of customer inbound coil. Customer may mix finished goods and tolling, shipped as one complete shipment and prepaid freight.
  - e. Orders that do not meet our prepaid freight terms will be shipped within 2 business days, prepaid and billed to customer.
  - f. Inbound customer coil for tolling (5,000 lb or more) will be prepaid by us when shipment is arranged by Rainstamp Tolling Limited.
- 2. Hawaii, Alaska, Mexico, and International
  - a. Finished Goods From Our Inventory: LTL orders of \$5,000 or more will be shipped within 3 business days, freight is responsibility of customer.
  - b. Tolling of Your Coil: LTL orders of \$5,000 or more of tolling fees will be shipped within 15 business days, freight is responsibility of customer.
  - c. Finished Goods and/or Tolling: Truckloads of 24 pallets or more will be shipped within 15 business days, freight is responsibility of customer. 15 day lead time on tolled items begins upon receipt of customer inbound coil. Customer may mix finished goods and tolling, shipped as one complete shipment freight is responsibility of customer.
  - d. Orders that do not meet our prepaid freight terms will be shipped within 2 business days, freight is responsibility of customer.
  - e. Inbound customer coil for tolling, freight is responsibility of customer.



### GENERAL TERMS AND CONDITIONS OF SALE

### **PRICES**

- 1. Prices are subject to change without notice, however, when possible we will inform you of changes prior to the effective date of the changes.
- 2. Finished good price is based on full box quantities of one item.
- 3. Select items of a full pallet quantity or greater will receive a discount as noted on our pallet program price list. Pallets typically are 40" wide X 48" deep X 90" tall.
- 4. Tolling price requires a minimum box quantity per item.

### DAMAGES OR SHORTAGES

- 1. Damaged or shortages caused by the freight carrier must be notated on the delivery receipt and documented with pictures in order to receive a credit. Without this we will not be responsible for the credit if the freight company does not pay the freight claim.
- 2. Shortages due to an error on the part of Rainstamp must have proof of shortage and must be reported within 48 hours for adjustment.

### **CLAIMS**

- 1. Customers should inspect material on arrival and report any defects promptly.
- 2. We are not responsible for any claims, labor, or damages resulting from the misuse or inability to use products sold.
- 3. We are responsible only to the extent of material supplied. Such material must be made available for our inspection. We will adjust the matter fairly and promptly.

### **RETURNS**

- 1. Returns, for any reason, must be authorized by us in advance and shipped freight prepaid by the customer. Full credit less a 20% restocking charge will apply on stock Items.
- 2. Any material being returned damaged will not be credited. Returned merchandise over 90 days old will be considered at scrap value or returned at customer expense.
- 3. A return material authorization (RMA) will be sent to the customer to return approved material for credit. The material must be shipped back within 48 hours along with a copy of the RMA included with the shipment.
- 4. No returns allowed for tolling orders.

RAINSTAMP TOLLING LIMITED ONLY SELLS TO DISTRIBUTORS AND MANUFACTURERS.



### WHY RAINSTAMP TOLLING?

### **TOLLING BENEFITS:**

- 1. Tolling for Full range of Rain Gutter accessories in most common material widths and thicknesses.
- 2. Custom labeling available.
- 3. Personalized order form with yield calculator for determining pounds of coil required for each order.
- 4. Prepaid freight on LTL Tolling orders exceeding \$5,000.
- 5. Prepaid freight on coil shipments of 5,000 lbs or greater shipped to RTL for tolled orders.
- 6. Truckload pricing available for full truckload tolled orders.
- 7. Weekly lead time report.

### **IN-STOCK FINISHED GOODS:**

- 1. Full line of finished good accessories stocked in 30 painted aluminum colors and 2 premium metals.
- 2. Prepaid freight on Finished Good orders exceeding \$5,000.
- 3. Pallet Program discount on full pallet quantities of select single item finished goods.

### **ADDITIONAL:**

890 - Solid Copper

920 - Galvalume Plus

- 1. All products are made in house, giving you direct communication with the manufacturer.
- 2. Knowledgeable in house staff available to answer questions via phone and e-mail in a swift manner.
- 3. Product line is continuously being improved upon to ensure accessories have the best form and fit.
- 4. Customer feedback survey helps us serve you better.

### RTL FINISHED GOODS COLOR SELECTION 001 - 30° White 002 - Royal Brown 003 - Antique Ivory 004 - Black 005 - Raffia Beige 006 - Beaver Brown 008 - Clay 012 - Forest Green 013 - Wicker 007 - Classic Cream 009 - Colonial Blue 011 - Musket Brown 019 - Tuxedo Grav 014 - Dove Gray 015 - Almond 017 - Linen 018 - Light Bronze 020 - Heritage Cream 021 - Colonial Grav 022 - Buckskin Brown 023 - 80° White 024 - Colonial Red 025 - Dark Bronze 026 - Herringbone 027 - Copper Metallic 028 - Paint Grip Metallic 030 - Frost White 031 - Safari Beige 033 - Eggshell 129 - Rustic Copper

\*Colors shown may vary from actual material\*



TOLLING LIMITE					DIF OF O	OA DTOM
DI	ESCRIPTION		ITEM #	ALUMINUM TOLLING YIELDS	PIECES/ CARTON	CARTON/ PALLET
End Cap for K-Style   Stock	ed in: 30 F	Painted Aluminum Color	rs, 16 oz. Sol	id Copper, and 26 ga. Galvalum	e Plus Steel	
	5″	Right & Left, One Box	22150X	10.5"x .017 = 16.3 pcs/lb 10.5"x .019 = 15 pcs/lb 10.5"x .024 = 11.5 pcs/lb 11.875"x .016 = 15.3 pcs/lb 11.875"x .019 = 12.9 pcs/lb 11.875"x .024 = 10.2 pcs/lb	25 Right and 25 Left	368
	5"	Right or Left, Separate Boxes* *Toll Only	22150X	10.5"x .017 = 16.3 pcs/lb 10.5"x .019 = 15 pcs/lb 10.5"x .024 = 11.5 pcs/lb 11.875"x .016 = 15.3 pcs/lb 11.875"x .019 = 12.9 pcs/lb 11.875"x .024 = 10.2 pcs/lb	50	368
	6"	Right & Left, One Box	22160X	11.875"x .019 = 10.6 pcs/lb 11.875"x .024 = 8.4 pcs/lb 13.75"x .019 = 9.4 pcs/lb 13.75"x .024 = 7.2 pcs/lb	25 Right and 25 Left	192
	6"	Right or Left, Separate Boxes* *Toll Only	22160X	11.875"x .019 = 10.6 pcs/lb 11.875"x .024 = 8.4 pcs/lb 13.75"x .019 = 9.4 pcs/lb 13.75"x .024 = 7.2 pcs/lb	50	192
	7″	Right & Left, One Box	22170X	15"x .027 = 5.5 pcs/lb 15"x .032 = 4.6 pcs/lb	25 Right and 25 Left	180
	7"	Right or Left, Separate Boxes* * Toll Only	22170X	15"x .027 = 5.5 pcs/lb 15"x .032 = 4.6 pcs/lb	50	180
End Cap for Half Round   St	tocked in: 3	30 Painted Aluminum C	olors, 16 oz.	Solid Copper, and 26 ga. Galva	lume Plus Ste	 el
	6"	Right & Left, with nose, One Box	22660X	10.5"x .017 = 13.4 pcs/lb 10.5"x .019 = 12.3 pcs/lb 10.5"x .024 = 9.5 pcs/lb	25 Right and 25 Left	460
	6"	Right & Left, with nose, Separate Boxes* * Toll Only	22660X	10.5"x .017 = 13.4 pcs/lb 10.5"x .019 = 12.3 pcs/lb 10.5"x .024 = 9.5 pcs/lb	50	460
	6"	Right or Left, Universal, One Box	22661X	10.5"x .017 = 13.4 pcs/lb 10.5"x .019 = 12.3 pcs/lb 10.5"x .024 = 9.5 pcs/lb	25 Right and 25 Left	460
	6"	Right or Left, Universal, Separate Boxes* * Toll Only	22661X	10.5"x .017 = 13.4 pcs/lb 10.5"x .019 = 12.3 pcs/lb 10.5"x .024 = 9.5 pcs/lb	50	460
Strip Miters for K-Style   S	tocked in: 3	30 Painted Aluminum C	Colors, 16 oz.	Solid Copper, and 26 ga. Galva	lume Plus Ste	el
	5″	90°, 0/S	231511	11.75"x .027 = 9.8 pcs/lb 11.75"x .032 = 8.3 pcs/lb 11.875"x .024 = 11.0 pcs/lb 11.875"x .027 = 9.7 pcs/lb 11.875"x .032 = 8.2 pcs/lb	20	360



Strip Miters for K-Style	Stocked in: 3	30 Painted Alu	ITEM # uminum Colors, 16 oz.	ALUMINUM TOLLING YIELDS  Solid Copper, and 26 ga. Galva	PIECES/ CARTON alume Plus Ste	CARTON/ PALLET
	5″	90°, I/S	231513	11.75"x .027 = 7.1 pcs/lb 11.75"x .032 = 6.0 pcs/lb 11.875"x .024 = 7.9 pcs/lb 11.875"x .027 = 7.0 pcs/lb 11.875"x .032 = 5.9 pcs/lb	20	360
	6"	90°, 0/S	231611	11.75"x .027 = 7.3 pcs/lb 11.75"x .032 = 6.2 pcs/lb 11.875"x .024 = 8.1 pcs/lb 11.875"x .027 = 7.2 pcs/lb 11.875"x .032 = 6.1 pcs/lb	20	192
	6"	90°, I/S	231613	11.75"x .027 = 6.4 pcs/lb 11.75"x .032 = 5.4 pcs/lb 11.875"x .024 = 7.1 pcs/lb 11.875"x .027 = 6.3 pcs/lb 11.875"x .032 = 5.3 pcs/lb	20	192
Bay Miters for K-Style   3	Stocked in: 30	Painted Alum	ninum Colors, 16 oz. S	olid Copper, and 26 ga. Galvalu	ıme Plus Stee	/
	5″	45°, 0/S	231531	11.75"x .027 = 10.7 pcs/lb 11.75"x .032 = 9.0 pcs/lb 11.875"x .024 = 11.9 pcs/lb 11.875"x .027 = 10.6 pcs/lb 11.875"x .032 = 8.9 pcs/lb	20	540
	5"	45°, I/S	231533	11.75"x .027 = 10.7 pcs/lb 11.75"x .032 = 9.0 pcs/lb 11.875"x .024 = 11.9 pcs/lb 11.875"x .027 = 10.6 pcs/lb 11.875"x .032 = 8.9 pcs/lb	20	540
	6"	45°, 0/S	231631	11.75"x .027 = 9.8 pcs/lb 11.75"x .032 = 8.3 pcs/lb 11.875"x .024 = 11.0 pcs/lb 11.875"x .027 = 9.7 pcs/lb 11.875"x .032 = 8.2 pcs/lb	20	320
	6"	45°, I/S	231633	11.75"x .027 = 9.8 pcs/lb 11.75"x .032 = 8.3 pcs/lb 11.875"x .024 = 11.0 pcs/lb 11.875"x .027 = 9.7 pcs/lb 11.875"x .032 = 8.2 pcs/lb	20	320
Box Miters for K-Style   3	Stocked in: 30	Painted Alum	ninum Colors, 16 oz. S	olid Copper, and 26 ga. Galvalu	ıme Plus Stee	/
	5″	90°, 0/S	231561	10.5"x .017 = 3.0 pcs/lb 10.5"x .019 = 2.8 pcs/lb 10.5"x .024 = 2.1 pcs/lb 11.875"x .016 = 3.8 pcs/lb 11.875"x .019 = 3.2 pcs/lb 11.875"x .024 = 2.5 pcs/lb	20	45
	5″	90°, I/S	231563	10.5"x .017 = 2.4 pcs/lb 10.5"x .019 = 2.2 pcs/lb 10.5"x .024 = 1.7 pcs/lb 11.875"x .016 = 3.8 pcs/lb 11.875"x .019 = 3.2 pcs/lb 11.875"x .024 = 2.5 pcs/lb	20	45
-						



TOLLING LIMITE	.D					·
DE	ESCRIPTION		ITEM #	ALUMINUM TOLLING YIELDS	PIECES/ CARTON	CARTON/ PALLET
	6″	90°, 0/S	231661	10.5"x .017 = 1.8 pcs/lb 10.5"x .019 = 1.7 pcs/lb 10.5"x .024 = 1.3 pcs/lb	20	24
	6"	90°, I/S	231663	10.5"x .017 = 1.8 pcs/lb 10.5"x .019 = 1.7 pcs/lb 10.5"x .024 = 1.3 pcs/lb	20	24
Miters for Half Round   Sto	cked in: 30	) Painted Aluminum	Colors, 16 oz. S	olid Copper, and 26 ga. Galvalu	me Plus Stee	1
1	6"	90°, Strip, O/S	236611	15"x .027 = 6.7 pcs/lb 15"x .032 = 5.6 pcs/lb	20	460
		90°, Strip, I/S	236613	15"x .027 = 6.7 pcs/lb 15"x .032 = 5.6 pcs/lb	20	
	6"	45°, Bay, 0/S	236631	11.875"x .027 = 8.5 pcs/lb	20	
	<u> </u>	45°, Bay, I/S	236633	11.875"x .027 = 8.5 pcs/lb	20	- 690
Hangers for K-Style	ad in Aluma	· · · · · · · · · · · · · · · · · · ·				
GK14 Hanger .060   Stocke	ed in: Alum	mum				
	5"	no clip	241455	6.65"x .060 = 17.0 pcs/lb	100	256
	6"	no clip	241465	8"x .060 = 14.2 pcs/lb	100	204
GK16 Hanger .060   Stocke	ed in: Alum	inum			,	,
, and	<b>A</b> .	no clip	241650	6.375"x .060 = 26.6 pcs/lb		368
	5"			200 positio	100/	48
	O	with clip	241653	8"x .060 = 21.2 pcs/lb	1000	330
		·				42
		no clip	241660	8"x .060 = 21.2 pcs/lb	100/ 500	288
	6"					63
		with clip	241663	9.375"x .060 = 22.5 pcs/lb		256
GK21 Hanger .060   Stocke	ad in: Alum	inum and Galvalum	a Plus Staal			63
dk21 hanger .000   Stocke	ed III. Aldilli					368
	-"	no clip	242150	6.65"x .060 = 25.5 pcs/lb	100/	 54
	5"	with clip			1000	320
			242153	7.84"x .060 = 21.7 pcs/lb		48
		P	040400	7.04// 000 40.0 "		288
	6"	no clip	242160	7.84"x .060 = 19.2 pcs/lb	100/	54
		with clip	242163	8.969"x .060 = 16.8 pcs/lb	500	256
		with the	Z#Z10J	01/23q 8.01 = UOU. x 606.0		54



DE	DESCRIPTION			ALUMINUM TOLLING YIELDS	PIECES/ CARTON	CARTON/ PALLET
GK23 Hanger .047   Stocke	d in: Alum	inum, Copper, an	d Galvanized Steel			
		no clip 242350 6.375"x .047 = 21.2 pcs/lb		204		
	5"	110 011p	2.12000	olove x le iv Elle poolis	100/	54
		with clip	242353	8"x .047 = 16.9 pcs/lb	500	204
						48
		no clip	242360	8"x .047 = 16.9 pcs/lb		144
	6"	по спр	242000	ο χ.υττ – τοιο μοσημ	100/	54
	J	with clip	242363	9.375"x .047 = 14.4 pcs/lb	250	144
						54
K25 Hanger .047   Stocke	d in: Alum	inum				
		no clip	242550	6.375"x .047 = 22.7 pcs/lb		256
1	5"			·	100/	54
7 12	J	with clip	242553	8"x .047 = 18.0 pcs/lb	500	240
						54
		П	8"x .047 = 18.0 pcs/lb		216	
	6"		2.2000	o xio in Tolo poolis	100/	72
	U		242563	9.375"x $.047 = 15.4$ pcs/lb	250	204
		,				63
K27 Hanger .060   Stocke	d in: Alum	inum				
		no clip	242750	242750 6.375"x .060 = 17.7 pcs/lb 242753 8"x .060 = 14.1 pcs/lb	100/ 500	256
	5"					54
7	· ·	with clip	242753			240
						54
		no clip	242760	8"x .060 = 14.1 pcs/lb		216
	6"			political	100/	72
	O	with clip	242763	9.375"x .060 = 12.0 pcs/lb	250	204
		,			,	63
<b>K34 Hanger</b> .047, #10 x 3" s	crew with T	7 point, twin lead thr	ead, 500 hour yellow zin	c   Stocked in: Aluminum		
1		no clip	243455	6.375"x .047 = 20.3 pcs/lb 7.55"x .047 = 17.9 pcs/lb	100/ 500	216
	5″	•				48
	J	with clip	243457			204
-						42



DE	SCRIPTION		ITEM #	ALUMINUM TOLLING YIELDS	PIECES/ CARTON	CARTON, PALLET
<b>GK34 Hange</b> r .047, #10 x 3"	screw with	Γ17 point, twin lead th	nread, 500 hour yellow	zinc   Stocked in: Aluminum		
		no clip	243465	8"x .047 = 16.4 pcs/lb		135
	6"	no cup	243403	ο χ.υ47 = 10.4 μεδ/ΙΙΙ	100/	63
	O	with clip	243467	8.75"x .047 = 15 pcs/lb	250	126
		With one	210107	0.70 X .0 17 10 poops		54
<b>K36 Hanger</b> .047, #12 x 3" s	crew with T	17 point, twin lead thr	ead, 500 hour yellow zin	c   Stocked in: Aluminum		
		no alin	243655	C 275" v 0.47 20 2 posilib		216
•	5"	no clip	243000	6.375"x .047 = 20.3 pcs/lb	100/	48
	O	with clip	243657	7.55"x .047 = 17.9 pcs/lb	500	204
						42
-		no clip	243665	8"x .047 = 16.4 pcs/lb		135
,	6"	onp	2.0000	2 / 10 / 10 / 10 / 10 / 10 / 10 / 10 / 1	100/	63
		with clip	with clip $243667$ $8.75''x .047 = 15 pcs/lb$	250	126	
<b>V20 Hanner</b> 047 #12 v 2" e	anaur unith T	17 naint turin load the	and EOO hour vallage sig	o   Ctarderdine Alemainean Canada		54
K38 Hanger .047, #12 x 3" s	screw with i	17 point, twin lead thr	ead, 500 nour yellow zin	c   Stocked in: Aluminum, Coppe	r, and Gaivaniz	rea Steel
	5"	no clip	243855	7.55"x .047 = 13.0 pcs/lb		135
					100	
		with clip	243785	7.55"x .047 = 13.0 pcs/lb		135
•	6"	no clip	243865	8.9"x .047 = 12.5 pcs/lb		108
		·		•	100	
	_	with clip	243867	8.9"x .047 = 12.5 pcs/lb	100	100
		240007 0.0 X.047 - 12.0 pts/iii	•		108	
<b>K40 Hanger</b> .055, #12 x 3.5	" screw with	T17 point, high low th	read and 1000 hour Blad	k Ruspert   <i>Stocked in: Aluminur</i>	m and Coppei	-
		a alia	244055	7.0% 055 40.0		216
	5"	no clip	244055	7.3''x .055 = 13.3  pcs/lb	100/	48
	3	with clip	244057 7.3"x .055 = 13.3 pcs/lb	7.3"x .055 = 13.3 pcs/lb	500	204
		with onp	244007	7.5 x .055 – 15.5 pcs/ib		42
						135
	6″	no clip	244065	9.5''x .055 = 10.2 pcs/lb	100/	63
	U	with clip	244067	0 E″v 0EE - 10 2 pag/lb	250	126
		with clip	244067	9.5"x .055 = 10.2 pcs/lb		54
<b>K42 Hange</b> r .060, #12 x 3" s	screw with T	17 point, twin lead thr	ead, 500 hour yellow zin	c   Stocked in: Aluminum		
	,	no olin	244255	7 55"v 000 10 2!lb		105
	5"	no clip	244255	7.55"x .060 = 10.2 pcs/lb	100	135
	•	with clip	244257	7.55"x .060 = 10.2 pcs/lb	100	105
1		r	-	- r		135



	CRIPTION		ITEM #	ALUMINUM TOLLING YIELDS	PIECES/ CARTON	CARTON/ PALLET
<b>GK42 Hanger</b> .060, #12 x 3" s	crew with 1	17 point, twin lead thread,	500 hour yellow	zinc   Stocked in: Aluminum		
	6"	no clip	244265	8.9"x .060=9.7 pcs/lb	100	108
	Ū	with clip	244267	8.9"x .060=9.7 pcs/lb		108
	7″	no clip	244276	10.3"x .060 = 7.0 pcs/lb	100	90
	•	with clip	244277	10.3"x .060 = 7.0 pcs/lb		90
<b>GK44 Hanger</b> .060, #12 x 3.5"	screw with	T17 point, high low thread ar	nd 1000 hour Bla	ck Ruspert   Stocked in: Aluminum		
	5″	no clip	244455	6.375"x .060 = 17.7 pcs/lb	100	135
7. 1.	J	with clip	244457	8"x .060 = 14.1 pcs/lb		135
	6"	no clip	244465	8"x .060 = 14.1 pcs/lb	100	108
		with clip	244467	9.375"x .060 = 12.0 pcs/lb		108
GK46 Hanger   Stocked in:	Aluminum	,				
	5″	with clip	244655	8"x .060 = 14.1 pcs/lb	100	90
	6"	with clip	244667	9.375"x .060 = 12.0 pcs/lb	100	90
Hangers for Half Round						
HR51 Hanger   Stocked in: A	Aluminum	and Copper				
	6"	Half Round, no screw	245063	9.375"x .060 = 9.8 pcs/lb	100	240
HR52 Hanger .060, #12 x 3" so	rew with T1	7 point, twin lead thread, 50	00 hour yellow zi	nc   Stocked in: Aluminum		,
	6"	Half Round, with screw, no hook	245266	9.375"x .060 = 8.2 pcs/lb	100	90
HR53 Hanger .060, #12 x 3" so	rew with T1	7 point, twin lead thread, 50	00 hour yellow zi	nc   Stocked in: Aluminum, Coppe	r, and Galva	anized Steel
	6"	Half Round, with screw, with hook	245366	9.8"x .060 = 7.8 pcs/lb	100	90




DESCRIPTION			ITEM #	ALUMINUM TOLLING YIELDS	PIECES/ CARTON	CARTON/ PALLET
HR56 Half Round Wide Décor ha	anger   Tol	ll Only				
	C"	Half Round,		15"x .027 = 5.6 pcs/lb		050
	6"	Wide Décor Hanger	255672	15"x .032=4.7 pcs/lb	25	256
HR58 Half Round Décor hanger	Stocked	in: White Aluminum, I	Mill Finish, Co	oper, and Galvalume Plus Steel		
	6″	Half Round, Décor Hanger	255872	15"x .048 = 4.0 pcs/lb	25	368
T-Strap UV99   Stocked in: Ala	uminum, C	Copper, and Stainless S	teel			
		UV99	249900	9.8"x .060 = 34.7 pcs/lb	100	576
Round Outlet for Flat Bottom G	utter   Sto	cked in: White Aluminu	m, Mill Finish,	Copper, and Galvanized Steel		
	23/8"	Round	261211	5.9"x .022 = 14.6 pcs/lb	250	54
	23/4"	Round	261311	5.9"x .022 = 13.9 pcs/lb	250	45
	3″	Round	261411	7.25"x .022=9.0 pcs/lb	100	54
	33/8"	Round	261511	7.25"x .022=9.0 pcs/lb	100	45
Rectangle Outlet for Flat Bottor	n Gutter	Stocked in: White Alun	ninum, Mill Fir	nish, Copper, and Galvanized Steel		
	2x3"	Rectangle	264311	5.9"x .022 = 14.2 pcs/lb	100	330
	3x4"	Rectangle	264412	7.25"x .022 = 10.8 pcs/lb	50	500
Oval Outlet for Flat Bottom Gut	ter   Stoci	ked in: White Aluminun	n, Mill Finish,	Copper, and Galvanized Steel		
	3″	Oval	263311	5.9"x .022 = 14.9 pcs/lb	100	240
	4"	Oval, for 5 & 6"	263411	6.875"x .022 = 11.2 pcs/lb	50	192
	4"	Oval, for 6" only	263413	6.875"x .022 = 10.9 pcs/lb	50	192




DE	SCRIPTION		ITEM #	ALUMINUM TOLLING YIELDS	PIECES/ CARTON	CARTON/ PALLET
Square Outlet for Flat Botton	n Gutter   Sta	 ocked in: White Alumin	um, Mill Finish,	Copper, and Galvanized Steel		
	2 <sup>5/8</sup> "	Small Square	262211	5.9"x .022 = 14.2 pcs/lb	100	240
	3"	Large Square	262311	5.9"x .022=12.8 pcs/lb	100	240
Round Outlet for Half Round	Gutter   Stoo	cked in: White Aluminu	m, Copper, and	d Galvanized Steel		
	4"	Round, for Half Round	265444	8"x .027 = 6.1 pcs/lb 0 Temper	50	216
Gutter Wedges   Stocked in	n: 30° Whit	te, Solid Copper, and	Galvalume Plu	s Steel		
	5″	Gutter Wedge	292715	11.75"x .027 = 11.1 pcs/lb 11.75"x .032 = 9.4 pcs/lb 11.875"x .024 = 12.4 pcs/lb 11.875"x .027 = 11 pcs/lb 11.875"x .032 = 9.3 pcs/lb	100	216
	6″	Gutter Wedge	292716	11.75"x .027 = 11.1 pcs/lb 11.75"x .032 = 9.4 pcs/lb 11.875"x .024 = 12.4 pcs/lb 11.875"x .027 = 11 pcs/lb 11.875"x .032 = 9.3 pcs/lb	100	126
	6"	Half Round, Gutter Wedge	292766	11.75"x .027 = 11.9 pcs/lb 11.75"x .032 = 10 pcs/lb 11.875"x .024 = 13.3 pcs/lb 11.875"x .027 = 11.8 pcs/lb 11.875"x .032 = 9.9 pcs/lb	100	216
Pipe Bands   Stocked in: 3	80° White, a	80° White, and Solid	Copper			
	2x3" 3x4"	Diamond, Rectangle	454272	10.5"x .017 = 22.8 pcs/lb 10.5"x .019 = 21 pcs/lb 10.5"x .024 = 16.1 pcs/lb	100	1440
Pipe Bands   Made To Orde	er: 30° Wh	ite, 80° White, and S	olid Copper			
(-0	2x3"	HD, Rectangle	456040	11.875"x .019 = 29.6 pcs/lb 11.875"x .024 = 23.4 pcs/lb 11.875"x .027 = 20.8 pcs/lb	50	1728
•	3x4″	HD, Rectangle	456045	10.5"x .019 = 24.3 pcs/lb 11.875"x .019 = 21.5 pcs/lb 11.875"x .024 = 17.0 pcs/lb 11.875"x .027 = 15.1 pcs/lb 11.875"x .032 = 12.7 pcs/lb 13.75"x .019 = 18.5 pcs/lb 13.75"x .024 = 14.7 pcs/lb	50	1728
	4"	Decor, Round	455072	11.75"x .027 = 7.1 pcs/lb 11.875"x .019 = 10.0 pcs/lb 11.875"x .024 = 7.9 pcs/lb 11.875"x .027 = 7.0 pcs/lb 13.75"x .019 = 8.6 pcs/lb	100	576



	DESCRIPTION	ITEM #	ALUMINUM TOLLING YIELDS	PIECES/ CARTON	CARTON/ PALLET				
Pipe Clips   Made To Order: 30° White, 80° White, and Solid Copper									
	3"	4558301XXX	11.75" $\times$ .27 = 34.3 pcs/lb. 11.75" $\times$ .32 = 28.9 pcs/lb. 11.875" $\times$ .27 = 33.9 pcs/lb.	100	330				
	4"	4558401XXX	11.75" x .27 = 11.69 pcs/lb. 11.75" x .32 = 9.8 pcs/lb. 11.875" x .27 = 11.57 pcs/lb.	100	90				
Pipe Cleat   N	Nade To Order: 30° White, 80° White, and	Solid Copper							
		CLEAT	11.75" x .27 = 19.5 pcs/lb.	100	690				
Color Chips   Toll Only									
COLOR NAME	2 <sup>3/4</sup> " Circle, with color name		11.75" x .27 = 32.164 pcs/lb. 11.875" x .27 = 31.826 pcs/lb.	1000	NA				







227 South Town East Blvd. Mesquite, TX 75149 Ph: 800-204-5059

Fax: 800-206-9015